

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	ranby-mats-.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 10:46
L2	10	ranby-mats-\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 10:49
L3	10	l2 not l1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 10:49
L4	1	"6156530".pn.	US-PGPUB; USPAT	OR	OFF	2008/06/25 10:53
L5	35	(prothrombin adj time\$1).ti.	US-PGPUB; USPAT	OR	OFF	2008/06/25 10:54
L6	847570	(room adj temperature\$1) or (ambient adj temperature\$1)	US-PGPUB; USPAT	OR	OFF	2008/06/25 10:55
L7	12	l5 and l6	US-PGPUB; USPAT	OR	OFF	2008/06/25 10:55
L8	2206	prothrombin adj time	US-PGPUB; USPAT	OR	OFF	2008/06/25 10:58
L9	76	l8 same l6	US-PGPUB; USPAT	OR	OFF	2008/06/25 10:59
L10	74	l9 not l7	US-PGPUB; USPAT	OR	OFF	2008/06/25 10:59
L11	12	l10 same (clotting adj time\$1)	US-PGPUB; USPAT	OR	OFF	2008/06/25 10:59
L12	151	l6 same (clotting adj time\$1)	US-PGPUB; USPAT	OR	OFF	2008/06/25 11:02
L13	157	l8 same temperature\$1	US-PGPUB; USPAT	OR	OFF	2008/06/25 11:03
L14	76	l13 same (room or ambient)	US-PGPUB; USPAT	OR	OFF	2008/06/25 11:03

L15	76	I14 same time\$1	US-PGPUB; USPAT	OR	OFF	2008/06/25 11:03
L16	60	I15 same (clot\$4 or coagulat\$3)	US-PGPUB; USPAT	OR	OFF	2008/06/25 11:04
L17	48	I16 not I11	US-PGPUB; USPAT	OR	OFF	2008/06/25 11:04
L18	572	436/69.ccls.	US-PGPUB; USPAT	OR	OFF	2008/06/25 11:10
L19	132	I18 and kit\$1	US-PGPUB; USPAT	OR	OFF	2008/06/25 11:10
L20	9	I19 and (temperature\$1 same record\$5)	US-PGPUB; USPAT	OR	OFF	2008/06/25 11:11
L21	0	kits\$1 same (temperature adj record\$3)	US-PGPUB; USPAT	OR	OFF	2008/06/25 11:13
L22	4	kit\$1 same (temperature adj record\$3)	US-PGPUB; USPAT	OR	OFF	2008/06/25 11:13
L23	140	kit\$1 same (temperature adj sensor\$1)	US-PGPUB; USPAT	OR	OFF	2008/06/25 11:15
L24	1	I23 same (clot\$4 or coagulat\$3 or agglutinat\$3)	US-PGPUB; USPAT	OR	OFF	2008/06/25 11:15
L25	15	I23 same (blood or plasma)	US-PGPUB; USPAT	OR	OFF	2008/06/25 11:16
L26	23613	kit\$1 same temperature\$1	US-PGPUB; USPAT	OR	OFF	2008/06/25 11:18
L27	1634	I26 same (blood or plasma)	US-PGPUB; USPAT	OR	OFF	2008/06/25 11:18
L28	131	I27 same (clot\$4 or coagulat\$3 or agglutinat\$3)	US-PGPUB; USPAT	OR	OFF	2008/06/25 11:18
L29	16	I28 same (record \$5 or sens\$3 or thermometer\$1)	US-PGPUB; USPAT	OR	OFF	2008/06/25 11:19
L30	269	prothrombin adj time\$1	FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 11:23
L31	33	I30 and temperature\$1	FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 11:23

L32	17	I31 and (room or ambient)	FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 11:24
L33	8	I32 and (clotting adj time\$1)	FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 11:24
L34	15	I32 and (clot\$4 or coagulat\$3 or agglutinat\$3)	FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 11:28
L35	7	I34 not I33	FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 11:28
L36	9	I32 not I33	FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 11:32
L37	2	I36 not I35	FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 11:32
L38	8624	kit\$1 and temperature\$1	FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 11:33
L39	1126	I38 and (blood or plasma)	FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 11:33
L40	129	I39 and (clot\$4 or coagulat\$3 or agglutinat\$3)	FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 11:34
L41	11	I40 and (record\$5 or sens\$3 or thermometer\$1)	FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/25 11:34

6/25/08 11:38:03 AM